

Red Sea Studies

Larry Pratt

MS 21

360 Woods Hole Rd.

Woods Hole, MA 02543

508-289-2540 (O)

508-457-2181 (F)

lpratt@whoi.edu

Award Number N00014-95-1-0456

LONG-TERM GOALS

My long term goal is to contribute to our understanding of the dynamics of the exchange flow through the Bab al Mandab and its effect on the general circulation and stratification of the neighboring Red Sea and Gulf of Aden.

OBJECTIVES

I want to determine whether the exchange flow through the Bab al Mandab is hydraulically controlled. In the event that control exists, I would like to determine the locations of the control section(s) and hydraulic jumps, the vertical structure (first or second internal mode) of the wave whose propagation is arrested at the control section(s), and the extent to which these factors are influenced by the earth's rotation influences. Once the hydraulics of the exchange flow are determined, I would like to determine the extent to which the Red Sea and Gulf of Aden stratification are influenced by the Bab al Mandab geometry.

APPROACH

The approach has been to analyze direct velocity measurements made by Profs. Bill Johns (RSMAS) and Steve Murray (LSU) over the period June 1995-April 1996 at the Hanish sill and the Perim narrows of the Bab al Mandab. I have developed a three-layer model with arbitrary, cross-strait bottom topography which is used to calculate the speeds of the first and second long internal gravity waves, given the Murray/Johns data. Calculations are made using monthly mean velocities and densities.

Also, the effects of rotation on an idealized version of Red Sea outflow are studied using analytical and numerical calculations of geostrophic adjustment in a channel at various rotation rates. This work is being carried out in collaboration with Drs. Karl Helfrich (WHOI), Dr. Eric Chassignet (RSMAS), and Mr. Allen Kuo (Columbia U.)

Finally, the effects of the Bab al Mandab inflow on the Red Sea surface circulation is investigated (with Dr. Gidon Eshel, WHOI) using analytical and numerical models of that body.

WORK COMPLETED

Monthly mean, long-wave speeds for the first and second internal modes have been calculated. The corresponding Rossby Radii of deformation have been computed.

Report Documentation Page			Form Approved OMB No. 0704-0188		
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 30 SEP 1997		2. REPORT TYPE		3. DATES COVERED 00-00-1997 to 00-00-1997	
4. TITLE AND SUBTITLE Red Sea Studies				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Woods Hole Oceanographic Institution, Woods Hole, MA, 02543				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 3	19a. NAME OF RESPONSIBLE PERSON
a REPORT unclassified	b ABSTRACT unclassified	c THIS PAGE unclassified			

Comparisons with the 3-layer hydraulic model of Dr. David Smeed (IOS, England) have been made. The numerical and analytical models referred to above have been constructed.

RESULTS

According to the propagation speed calculations the Bab al Mandab exchange flow is substantially subcritical during each month of the year. Only the strongest tides might temporarily push the flow over the threshold to supercriticality. The flow is therefore not hydraulically controlled, at least not in the same way that it is in other well-known straits such as Gibraltar. During the summer months, when the Bab al Mandab has intermediate depth inflow sandwiched between surface and bottom outflow, the flow is subcritical with respect to the second internal mode. During the winter, when only surface inflow and deep outflow exists, the flow is close to the critical speed at the narrowest section. Error bars are wide enough to prevent a definitive conclusion. In addition, the Rossby Radius of deformation for the second internal mode is the same order as the width of the Bab al Mandab central channel, making neglect of rotation for this mode problematic.

IMPACT/APPLICATIONS

The most immediate impact is that the Bab al Mandab exerts much less influence on the Red Sea than, say, the Strait of Gibraltar does on the Mediterranean. Some influence may occur during the winter months through the second internal mode, however the way in which this occurs must still be determined. The importance of rotation for the second internal mode must be determined. These considerations have importance for numerical models of the Red Sea (such as the Navy SWAFS model) which place open boundary conditions at or near the Bab al Mandab.

TRANSITIONS

My findings are being fed to Prof. Massamichi Inoue (LSU) who has developed a regional numerical model of the Bab al Mandab with much more realistic topography and stratification than can be handled in my analytical calculations. I have also contacted Drs. Amy Bower and Jim Price (WHOI) who, along with B. Johns, may propose a study of the Red Sea outflow. Instruments placed immediately downstream of the Hanish narrows would resolve much of the uncertainty concerning the existence and nature of a mode-2 control and a possible hydraulic jump.

RELATED PROJECTS

- 1) The numerical modeling effort of Prof. Inoue described above.
- 2) The Navy SWAFS model (see below reference to Horton, et. al.)

REFERENCES

Horton, C., M. Clifford, J. Schmitz, and B. Hester (1994) SWAFS: Shallow Water Analysis and Forecast System Overview and Status Report. Naval Oceanographic Office, Stennis Space Center.

Murray, S.P. and W. Johns. Direct Observations of seasonal exchange through the Bab al Mandeb Strait. Geophys. Res. Let. (accepted)

Pratt, L. J., W. Johns, S.P. Murray, K. Katsumata. Hydraulic interpretation of direct velocity measurements in the Bab al Mandab. (in preparation).